

**PRECISION
STAIRLIFTS**



Better... by Design



**ASCENDOR INCLINED PLATFORM LIFT ORDER FORM
FOR BOTH PLG7 (STRAIGHT) AND PLK8 (CURVED)**

Telephone# 828-696-8005 / Email: LiftGuys@gmail.com

PAYMENT TERMS:

50% DOWN PRIOR TO ORDER BEING PUT INTO PRODUCTION / BALANCE DUE PRIOR TO DELIVERY

Email completed order form to: LiftGuys@gmail.com or FAX it to us at: 828-697-7267

<p>DEALER NAME: _____</p> <p>BILLING ADDRESS: _____</p> <p>CITY: _____</p> <p>STATE: _____</p> <p>ZIP CODE: _____</p> <p>PERSON ORDERING: _____</p> <p>PHONE NUMBER: _____</p> <p>EMAIL ADDR: _____</p>	<p>Deliver to: <input type="checkbox"/> Business Location <input type="checkbox"/> Residential Location *</p> <p><input type="checkbox"/> Check this box if a lift gate is required *</p> <p style="text-align: center;">* Will Incur an extra charge</p> <p>Please indicate delivery address in box below:</p> <div style="border: 1px solid black; height: 100px; width: 100%;"></div> <p>Customer Name: _____</p> <p style="text-align: center;"><i>Who is the person that our freight company will contact to schedule delivery?</i></p> <p>Contact Person: _____</p> <p>Phone Number: _____</p>
<p><i>FREIGHT CHARGES:</i> <i>If you require more than 7 meters or 23 feet of rail, you will incur additional freight charges due to the increase in length and weight of rail.</i></p>	

Return Policy & Warranty: Because all of our products are custom built and custom painted to fit your needs, all sales are final. No returns or exchanges are allowed. However, if there is a problem with your product our manufacturer will work with you to resolve any problems. **Cancellation of an order must be done within 2 days (48 hrs.) of signing off on the drawings in order to receive a refund.** If a cancellation is not received within 2 days then no refund can be given as the order will be in production.

By your signature below, you state that you are in agreement with the Payment Terms as stated above.

Authorized Dealer Signature: _____

Date: _____

Print Name: _____

Dealer's signature is also required on the 2nd page of the Ascendor Order Form

Dealer's Name:

Project name:

Please, mark with a cross:	<input type="radio"/> PLG7 <input type="radio"/> PLK8
<input type="radio"/> Collection through the customer	Requested delivery date (ex works):
<input type="radio"/> Delivery through Ascendor	
<input type="radio"/> Installation through Ascendor	<input type="radio"/> leftside installation (View from below)
<input type="radio"/> Platform size 800 x 800 mm (Standard)	<input type="radio"/> rightside installation (View from below)
<input type="radio"/> Platform size 1000 x 800 mm (Standard)	IPL WILL BE INSTALLED ON <input type="checkbox"/> WALL <input type="checkbox"/> STAIRS MATERIAL OF WALL / STAIRS: <input type="checkbox"/> BRICK <input type="checkbox"/> CONCRETE
<input type="radio"/> 11620 - Plattform size 1250 x 800 mm (only PLG7)	
<input type="radio"/> 11625 - Special plattform size: x	
<input type="radio"/> 11630 - Plattform 300 kg loading capacity (extra)	
MUST CALL FOR ALL OTHER MATERIALS	
Travel rails:	OPTIONS (Extra Charge) :
<input type="radio"/> 11220 - Single stanchions (posts/pillars), galvanized and powder coated - similar to RAL	
<input type="radio"/> 11230 - Single stanchions (posts/pillars), STAINLESS STEEL	
Colour / Design:	
<input type="radio"/> 11310 - Covering of the drive unit and platform in STAINLESS STEEL	
<input type="radio"/> 11320 - Powder coating in RAL-Color: similar to RAL	
Control units:	
<input type="radio"/> 11410 - 2 wireless handheld transmitter (radio controlled) instead of cable operated remote control	
<input type="radio"/> 11420 - 2 wireless handheld transmitter (radio controlled) additional of cable operated remote control	
<input type="radio"/> 11430 - Pieces additional wireless handheld transmitter (radio controlled)	
<input type="radio"/> 11450 - 2 Pieces wall mounted operating unit incl. key switch, instead of cable control	
<input type="radio"/> 11460 - Pieces EURO-KEY for wall operating units (Cylinder incl. 3 keys)	
<input type="radio"/> 11470 - Remote control in the upper rail (for the top parking position) (only PLG7)	
Additional safety fittings:	
<input type="radio"/> 11510 - Security-contact-tray for platform underside	
<input type="radio"/> 11520 - Full automatic third safety bar (only PLG7)	
<input type="radio"/> 11530 - Acoustical emergency call on the Lift	
<input type="radio"/> 11540 - Emergency call equipment by UKW radio	
<input type="radio"/> 11550 - Emergency call equipment by GSM-module (excl. SIM- card)	
Other options:	
<input type="radio"/> 11610 - Weatherproof design (suitable for exterior installation) (only PLG7)	
<input type="radio"/> 11640 - Front mounted loading ramp NOT AVAILABLE IN STAINLESS STEEL!	
<input type="radio"/> 11645 - Long access ramp, lenght= 300mm (for other sizes, please ask us!)	
<input type="radio"/> 11650 - Folding seat, made of stainless steel	
<input type="radio"/> 11660 - Sets: 2 additional accumulators incl. cable set (upgrade with 2 sets / 4 accus possible)	
<input type="radio"/> 11670 - Box for accu-recharger for wall installation (for Indoor and Outdoor use)	
SPECIAL REQUESTS :	

Printed Name:

Date:

SIGNATURE:

Dealer's Name: _____

Project name: _____

For curved lifts (PLK8), please send us also photos and drawings of the stairs!

Please, fill in the fields:

